



CONTENTS PAGE	3
INTRODUCTION	4-5
SUSTAINABILITY	6-7
INNOVATIONS	8-9
PRODUCT RANGE	
TRENCH COVERS AND ROAD PLATES	10-19
LOWPRO® TRENCH COVER GUIDE	12
LOWPRO® 100 NARROW TRENCH COVER	13
LOWPRO® 11/11 TRENCH COVER	14
LOWPRO® 12/8 TRENCH COVER	15
LOWPRO® 15/10 TRENCH COVER SYSTEM	16
LOWPRO® 15/10 TRENCH COVER	17
LOWPRO® 15/05 ROAD PLATE	18
LOWPRO® 23/05 ROAD PLATE	19
WHEELCHAIR RAMPS	20-23
SUPAGRIP® RAMP	22
ACCESSIBILITY IN STREET WORKS	23

BARRIERS AND FENCING	24-29
AVALON® BARRIER	26
STRONGWALL®	27
SAFEGATE®	28
LANTIS® BARRIER	29
FENCE FEET AND HEAVY BASES	30-35
OXSTAND®	32
TEMPORARY FENCE WEIGHT	33
OXBLOCK	34-35
MATS AND GROUND PROTECTION	36-39
ENDURAMAT™	38
CLEARPATH® MAT	39
CONTACT US	40

Solving problems for safer working.

MATEGOTIT COVERED

Since 1985, Oxford Plastics has been dedicated to helping industrial workers do their jobs safely and efficiently.

Our award-winning range of intelligent, compliant, problem solving products are creating safe working environments for people across a host of industries – including highways, utilities, events and streetworks; as well as the industrial, civil engineering and construction sectors.

We also collaborate closely with the Depts of Transportation and industry leaders around the world, such as JAG, HAUC, NJUG and REMA, ADA and respected professors of Engineering. This ensures safety standards and product integrity are not only met, but consistently exceeded.

As the world changes, so do we. We're committed to creating even better solutions and delivering even better service, so our customers always know that whatever challenges they face, we've got it covered.

Accelerating Our Business

The last 12 months have seen exceptional growth at Oxford Plastics, and our customers are at the heart of it all. As we grow, we invest in new staff, resources and machinery to reduce our lead time and develop even more solutions-based products.

Product Development

Innovation, we've got it covered. Through continuous improvements, customer feedback and bringing entirely new concepts into the marketplace, we make our customer's jobs safer, more efficient, and even more environmentally sustainable.

Reducing Carbon Emissions

We know that sustainability can be complicated, so we educate our customers about sustainable choices for their projects and job sites. Continuing from our progress in 2021 & 2022, we've committed more resources to reduce carbon emissions through our supply chain. That's why you will see the embodied carbon footprint for our key products in this year's brochure.

New Website

We launched our new website in 2022, complete with case studies, product sheets, technical guides and downloadable web assets packs. Designed to help our customers find the information they need quickly and easily. And if you have any additional questions, we're always here to help.



What is a carbon footprint?


Pretty much everything we do and buy produces CO₂e.

A carbon footprint is the total amount of greenhouse gases produced directly and indirectly by any activity. Greenhouse gases are converted into a carbon dioxide equivalent (CO₂e), and are measured in tons (tCO₂e) or pounds (lbsCO₂e) of carbon dioxide equivalent.

How can you reduce your carbon footprint?

By taking sustainable actions and working within the circular economy. 4 tangible steps all businesses should take to reduce emissions, repair equipment, pass on, sell or hire out items they don't need for reuse, and recycle materials at end of life.

The circular economy



Our commitment to sustainability


At Oxford Plastics, we believe in sustainable products. Since 2021, we have brought new carbon measurements into our business.








Our credentials





The LowPro 15/10 **Trench Cover**

is the strongest of its kind. 2.5 times stronger than the next alternative.



LowPro 23/05 Road Plates

can save up to 79% of CO, e over their lifecycle, compared to steel plates.

n footprint con

We create product comparison studies so our customers can make low CO₂ choices

The Avalon Barrier

has 30% less lbsCO₂e compared to single piece, non-repairable barriers.







Trench Covers and Road Plates

Oxford Plastics has spent over 20 years refining the material composition, technology and manufacturing processes of our flagship LowPro Trench Covers and Road Plates range. Today, we offer the most comprehensive range of composite covers in the world, which can be used in a variety of scenarios from walkways to roadways in street works and on construction sites.

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy. Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs.

GUARANTEED

MAXIMUM LOAD WEIGHT UP TO

97,000

LBS

OVER 48" TRENCH



ROAD PLATE PATENTED DROP-PIN SECURITY





RAMPED LOWPRO EDGES FOR SAFE ACCESS



HS20-44

12 LOWPRO TRENCH COVER GUIDE PRODUCT RANGE TRENCH COVERS

4

LOWPRO® TRENCH COVER GUIDE

COMPOSITE TRENCH COVERS CAN BE INSTALLED IN THE FOLLOWING SCENARIOS.

- A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.
- In some instances, road plates and trench covers must be anchored for safety, refer to the installation guide for more details
- Trench covers have a maximum width allowance.

- Trench covers can be linked together to safely cover any length of excavation.
- The LowPro range is HAUC Compliant.
- LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.
- Trench covers must be installed centrally over the trench.



LOWPRO° 100 NARROW TRENCH COVER

TRENCH COVER

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fiber optic cable installations. It is suitable for 3" - 3.9" wide trenches. The recycled plastic material grips the asphalt to minimize movement and provide a stable surface for pedestrians and vehicles. Available in 1m sections, the LowPro 100 is supplied with fixings to anchor pieces together.

PRODUCT RANGE




LOWPRO® 100 NARROW TRENCH COVER

- Designed for fiber optic cable installations & maintenance
- Suitable for Narrow-Trenching:3" 3.9" excavations
- Low profile, sits flat against the ground
- ▶ Bends 30 degrees
- Suitable for pedestrian traffic and vehicles
- 42" sections can securely anchor together

- Made using recycled plastic and is recyclable
- Highly slip-resistant in wet& dry conditions
- Hivis inserts for safety day and night
- Available in 0.8" and 1.6" depths
- Use the LowPro 11/11 over T-Junctions
- Comes with nyloc fixings

	LOWPRO® 100 NARROW TRENCH COVER		
	1.6" DEPTH	O.8" DEPTH	
Product No.	0761	0762	
Width	10"	10"	
Length	42"	42"	
Height	2"	1"	
Weight	7lb	71b	
Quantity / Pallet	100	100	
Color	Black & Yellow	Black & Yellow	












LOWPRO® 11/11 **TRENCH COVER**

TRENCH COVER

Pedestrian board with patented LowPro Edge technology, suitable for the distributed load of a 3528lb vehicle over a 28" trench.

PRODUCT RANGE



12/8 **TRENCH COVER**

LOWPRO®

TRENCH COVER SYSTEM

The LowPro 12/8 Trench Cover is a versatile trench cover that is suitable for pedestrians and 3528lb vehicles over a 28" trench.

PRODUCT RANGE




LOWPRO® 11/11 TRENCH COVER

Usage Benefits

- Extremely compact and flat making it easy to transport & store
- Can be easily lifted and installed by 1 person
- Safely cover holes and trenches up to 28"
- Create temporary and semi-permanent pathways and trench cover
- Not for use in roadway

- Inquire about minimum order quantities for customizations
- Hi-vis and anti-trip trench cover provides safe passageway for pedestrians and vehicles up to 3,528 lb
- Trench covers must be installed centrally over the trench
- ▶ Reduce CO₂ emissions with lighter transport compared to steel plates
- Eliminate need for cold patch with the patented LowPro Edge, which provides smooth transition

	LOWPRO® 11/11 TRENCH COVER
Product No.	O825
Width	44"
Length	44"
Height	1"
Weight	53lb
Quantity / Pallet	30
Color	Yellow & Black



LOWPRO® 12/8 TRENCH COVER

- Can be easily lifted and installed by 1 person
- Safely cover holes and trenches up to 28"
- Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and vehicles
- Not for use in roadway
- ▶ Prevent drifting and eliminate the need for cold patch using our patented LowPro Edge technology and Infill connectors strips
- To support pedestrians and vehicles up to 3528lb
- Can be utilized individually or as part of a continuous run of multiple units connected with infill strips

- Patented LowPro Edges are moulded around the whole board, creating a durable protective barrier for the trench cover
- Inquire about minimum order quantities for customizations
- Trench covers must be installed centrally over the trench
- ▶ Reduce CO₂ emissions with lighter transport compared to steel plates
- Infill connectors allow for smooth transition from cover to cover





	LOWPRO® 12/8		
	TRENCH COVER	INFILL SHORT	INFILL LONG
Product No.	0362	0383	0364
Width	31"	6"	6"
Length	47"	31"	47"
Height	1"	1"	1"
Weight	37lb	3lb	4lb
Quantity / Pallet	30	5/100	5/100
Color	Yellow & Black	Black	Black











LowPro® 15/10 Trench Cover System

System Components

The LowPro 15/10 is a modular system of linking trench covers, comprising the trench cover, infill strips and ramps. The infill strips link the trench covers, helping to cover a greater area and provide a much more stable platform, while the 1:12 gradient ramps create greater ease of access for vehicles.





LOWPRO° 15/10 TRENCH COVER

TRENCH COVER SYSTEM

The LowPro 15/10 Trench Cover uses our patented LowPro Edge technology and is a suitable driveway board for 7,716lb vehicles over a 3ft wide trench.

PRODUCT RANGE




LOWPRO° 15/10 TRENCH COVER

Usage Benefits

- Can be easily installed, transported and stored
- Safely cover holes and trenches up to 3ft wide
- Patented LowPro Edges are molded around the whole board, creating a durable protective barrier for the trench cover
- Prevent drifting and eliminate the need for cold patch using our patented LowPro Edge technology and Infill connectors strips
- To support vehicles up to 7716lb
- Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and

- ▶ Enable access for residents to their homes
- To be configured individually and as part of a larger system including infill strips
- Inquire about minimum order quantities for customizations
- Trench covers must be installed centrally over the trench





	LOWPRO® 15/10		
	TRENCH COVER	INFILL SHORT	INFILL LONG
Product No.	0815	0375	0840
Width	39"	6"	6"
Length	59"	39"	59"
Height	1"	1"	1"
Weight	84lb	4lb	5lb
Quantity / Pallet	20	5/100	5/100
Color	Yellow & Black	Black	Black

FEATURES AND BENEFITS

Save money

Save on the cost of a crane and other expensive lifting machinery with hand-liftable trench covers

ADA compliant

Ramp attachments in long, short and corner sizes create a smooth 1:12 gradient for vehicles and pedestrians

Save time

No need to anchor into place in most applications, black rubber edges grip the asphalt

Durable

LowPro edges protect the trench cover from rough handling on site

Easy-to-use

Instructions for use are moulded into the anti-slip surface

Flexible

Cover any length of trench by connecting LowPros together with long or short infill strips & ramps

Anti-Slip

Hard-wearing anti-slip surface molded into the product


Corporate branding

Available with corporate logo molded into the trench cover and in bespoke colors. MOQs apply



The LowPro Stillage holds 20 LowPro 15/10, with space for Infill strips and Ramps on top. This heavy-duty metal stillage is stackable and comes with forklift pockets.

	LOWPRO®		
	RAMP LONG	RAMP SHORT	RAMP CORNER
Product No.	0774	0798	0775
Width	25"	25"	23"
Length	59"	39"	23"
Height	2"	2"	2"
Weight	20lb	19lb	5lb
Quantity / Pallet	50	50	100
Color	Blue	Blue	Blue









LOWPRO® 15/05 ROAD **PLATE**

TRENCH COVER

The LowPro 15/05 Road Plate is a modular system of singular linking units. HS20-44 rated, this road plate is suitable for 97,000lb vehicles over a 18" wide trench.

PRODUCT RANGE


TRENCH COVERS




LOWPRO® 15/05 ROAD PLATE

Usage Benefits

- Can be easily transported and stored
- Can be easily lifted and installed by 2 persons without a crane or heavy-lifting equipment
- Safely cover holes and trenches up to 28" to support vehicles up to 97,000lbs
- Create temporary and semi permanent road covers to clearly define thoroughfares to safely direct road traffic and vehicles
- Molded hi-vis anti-skid surface and chamfered LowPro Edge reduces slips and falls, providing safety in roadways and at crosswalks
- Inner sections have gravity fed steel drop pins on the underside to prevent lateral movement



- Maintain quality and performance with spare parts, if necessary
- Heavy duty interlocking steel connectors lock together to cover any length of trench
- Trench covers must be installed centrally over the trench. Inner and end sections can be anchored
- ▶ Reduce CO₂ emissions with lighter transport compared to steel plates
- Patented rubber LowPro Edge deafens noise and eliminates need for cold patch
- Adhere to local DOT legislation, as this may effect the max. trench width requirements



	LOWPRO® 15/05 ROAD PLATE	
	INNER	END
Product No.	0830	0814
Width	20"	20"
Length	59"	59"
Height	3"	3"
Weight	93lb	51lb
Quantity / Pallet	20	20
Color	Yellow & Black	Yellow

LOWPRO® 23/05 **ROAD PLATE**

TRENCH COVER

The LowPro 23/05 Road Plate is a modular system of singular linking units, this road plate trench cover is suitable for 97,000lbs vehicle over a 48" trench.

PRODUCT RANGE






LOWPRO® 23/05 ROAD PLATE

Usage Benefits

- Can be easily transported and stored in the stillage
- Can be easily lifted and installed by 2 persons using EasiLift Handles, without a crane or heavy lifting equipment
- > Safely cover holes and trenches up to 48" wide
- Create temporary and semi-permanent road covers
- ▶ Clearly defined thoroughfares to safely direct road traffic and vehicles

- ▶ To support vehicles up to 97,000lbs
- Maintain quality and performance with spare parts, if necessary
- To be configured as part of a larger system, use multiple road plate inners to cover any length of trench
- Trench covers must be installed centrally over the trench
- ▶ 79% reduction in CO₂e compared to steel plates



	LOWPRO® 23/05 ROAD PLATE			EASILIFT
	INNER	END	STILLAGE	HANDLES
Product No.	0839	0726	0731	0730
Width	20"	28"	64"	18"
Length	91"	91"	70"	36"
Height	3"	3"	36"	8"
Weight	143lb	60lb	419lb	7lb
Weight when filled			5,007lb	
Quantity / Pallet	16	10	1	20
Color	Yellow & Blue	Blue	Silver	Yellow





234lbs







Pin



COMPLIANCE CODE HS20-44

COMPLIANCE CODE HS20-44





Wheelchair Ramps

Designed for street works where pedestrians are diverted from the walkway into the roadway. Tested with UK disability groups using mobility scooters or wheelchairs and the partially sighted.

Highly slip resistant in wet and dry conditions, the Wheelchair Ramp range is moulded with a durable anti-slip surface.

The SupaGrip Ramp uses our patented LowPro anti-slide technology, which grips the pavement for added stability.









SUPAGRIP® RAMP

WHEELCHAIR RAMP

The SupaGrip Ramp is an anti-slide wheelchair ramp and pedestrian curb ramp, designed for temporary roadworks access.

PRODUCT RANGE

WHEELCHAIR RAMPS



SUPAGRIP® RAMP

Usage Benefits

- LowPro edges sit securely on the pavement without the need for anchoring
- Can be easily transported and stored
- Can be easily lifted and installed by 1 person
- Can be safely used on curbs between 2.3" and 6.3"
- Create temporary and semi-permanent curb ramps

- > Spare parts available, if necessary, to maintain the life of your wheelchair ramp
- Clearly defined thoroughfares to safely direct pedestrian traffic and mobility vehicles
- To support mobility vehicles and foot traffic up to 771lb
- Fully recyclable
- Hi-vis anti-skid surface and raised sides

	SUPAGRIP RAMP
Product No.	O836
Width	50"
Length	30"
Height	4"
Weight	22lb
Quantity / Pallet	30
Color	Yellow & Black







ADA ACCESSIBILITY IN STREET WORKS

Street works are a necessary part of maintaining road infrastructure, pedestrian safety and the modernization this often poses its challenges to pedestrian accessibility especially for those with a disability that affects their mobility.

That's why, here at Oxford Plastics, not only do we provide the relevant equipment to ensure that pedestrian safety is maintained at all times during street works, but also the capability to cater for everyone – providing an all-inclusive way of working. We comply with ADA Standards – meaning that our street works products are applicable to those who have a disability, and can be used and installed in a way that caters specifically to those who have



reduced mobility. This isn't always just wheelchair users, either – it could refer to the elderly, parents with strollers and pedestrians who need to use a stick or a guide-dog.

It's also important to consider the hidden disabilities that people may be facing – such as autism, dementia or learning disabilities. Although this may not directly hinder people's mobility, the impact of street works accessibility

may be confusing for people – which again, shows why it's so important that the correct safety measures are implemented.

This is why Oxford Plastics works with leading US utility providers, street works contractors and disability groups to design products that make a difference.

ADA ACCESSIBILITY PRODUCTS FROM OXFORD PLASTICS



ADA STRONGWALL & STRONGFENCE

The anti-trip street works barrier and fence, maximizes the space for pedestrians on diverted walkways




LOWPRO TRENCH COVER INFILLS & RAMPS

The only trench cover system with a smooth 1:12 gradient, designed for wheelchair users and cyclists to easily navigate street works









Barriers and Gend Fencing

Oxford Plastics manufacture a wide range of barrier and fencing solutions for street works, construction sites and facilities management.

Our street works barrier range is used by businesses around the world to provide safe spaces for the workforce and the public. This includes 3 ft high pedestrian barriers, and 6 ft high fences for deep excavations and site protection. Featuring patented anti-tamper locking systems, pedestrian barriers are lightweight and are designed to be carried and installed by 1 person. Complete with high-quality British Standard reflective.

We also manufacture a wide array of ballasting solutions made from recycled PVC, which replace unreliable sandbags.















AVALON® BARRIER

PEDESTRIAN BARRIER

The Avalon is our most versatile and popular safety barrier, suitable for a wide range of indoor and outdoor pedestrian applications. Common uses include construction, excavation, street works, events and utility sites.

PRODUCT RANGE

BARRIERS AND FENCING



AVALON® BARRIER

Usage Benefits

- Adaptable to the work site's requirements with 2 feet options: ClearPath Extra which is 100% antitrip or standard.
- Can be easily transported and stored
- Clearly defined access in high traffic area
- Ensure mandated physical distance measures
- Patented tamper-proof locking system to protect site staff and pedestrians against risk factors

- ▶ Keep a secure semi-permanent perimeter with our ballasting options
- Maintain quality and performance with spare parts, if necessary
- Inquire about minimum order quantities for customizations
- Able to be returned to Oxford Plastics to be fully recycled

	AVALON BARRIE
	6FT
Product No.	O635
Width	2"
Length	79"
Height	39"
Weight	24lb
Quantity / Pallet	50
Color	Orange



STRONGWALL®

PEDESTRIAN BARRIER & FENCING

PRODUCT RANGE

A robust plastic, non-conductive safety barrier with typical applications at events and on construction sites to ensure maximum safety to both members of the public and site workers.

PRODUCT RANGE



STRONGWALL

- Create a highly stable barrier or fenced perimeter to combat high volumes of traffic even in hot weather conditions, with no additional ballast
- A heavy duty, durable component used for easy and effective installation
- ▶ Breaks down into three components for compact storage and transport
- ▶ Keep worksites secure with 6ft tall anti-climb fencing
- Inquire about minimum order quantities for customizations

- ▶ Be confident that your fence line will stay in tact with connections which are moulded to the barrier
- Non-conductive plastic to keep your worksite and the public safe around live sites
- A closed loop recycling product: made using recycled PVC
- Able to be returned to Oxford Plastics to be fully recycled
- ADA compliant base available





	STRONGWALL	STRONGFENCE	
Product No.	0193	0687	
Width	22"	22"	
Length	40"	40"	
Height	39"	81"	
Weight	49lb	56lb	
Quantity / Pallet	18	18	
Color	Black & Orange	Black, Orange & Silver	













SAFEGATE®

MANHOLE BARRIER

The SafeGate barrier is designed for use around temporary excavations and commonly used in the communications industry.

PRODUCT RANGE


BARRIERS AND FENCING




SAFEGATE

Usage Benefits

- Portable solution making it easier to carry & deploy
- Lightweight, which keeps overall vehicle weight low, and allows for easy installation
- ▶ Keep sites protected in high wind conditions by using the SafeBase
- Clearly cordon off areas to reduce the danger of pedestrians/site staff entering restricted zones
- Ability to reinforce social distancing measures
- Can be configured in a square or in a line with the SafeBase
- Able to be returned to Oxford Plastics to be fully recycled







	SAFEGATE		
	3 WAY BARRIER	4 WAY BARRIER	SAFEBASE
Product No.	09737	09738	0204
Width	2"	3"	13"
Length	89"	118"	13"
Height	39"	39"	3"
Weight	131b	18lb	6lb
Quantity / Pallet	25	20	150
Color	Red/Yellow	Red/Yellow	Black

LANTIS® BARRIER

PRODUCT RANGE

PEDESTRIAN BARRIER

The Lantis Barrier, made from recycled plastic, can be used in parades, sporting venues, ticketing lines and much more. Lighter than steel, yet significantly more durable, the Lantis Barrier is the replacement for metal pedestrian barriers.

PRODUCT RANGE




LANTIS° BARRIER

- A closed loop recycling product: made of PCR plastic
- Lightweight and portable solution for easy installation
- Stacks compactly, easily transported and stored by 1 person
- Clearly defines access and thoroughfares in high traffic area
- Ensures mandated physical distance measures
- Connectors compatible with most existing metal barrier fleet
- Maintain your barrier fleet with spare parts, including feet, connectors and body sections

- ▶ Robust & long-lasting 'drive-over' toughness, which springs back
- Inquire about minimum order quantities for customizations
- Fully recyclable

	LANTIS BARRIER
Product No.	0745
Width	2"
Length	83"
Height	43"
Weight	31lb
Quantity / Pallet	50
Color	Grey














Fence Feet and Heavy Bases

Our fence feet and heavy bases are first and foremost effective, durable and safe for use on construction sites and at high profile sporting and entertainment events.

Their high-visibility ends are patent protected to keep your work site safe by reducing the risk of trips and falls.

Oxford Plastics is one of the biggest users of recycled PVC in the world and in 2019 we used 16% of all the recycled PVC in the UK.

We go to great lengths to use recycled materials in our products – none more so than with our fence feet and heavy bases – and at the end of their life most of these can be re-ground into new products.

DURABLE RECYCLED MATERIAL



HIGH VISIBILITY



PATENT PROTECTED



CUSTOMIZABLE




45

OXSTAND®

FENCINO

The OxStand is an alternative to the metal tube stand, commonly used with temporary metal fencing at events and on construction sites. Easy to stack, store, and transport, reducing costs. Carry multiple OxStand with handholds.



OXSTAND

Usage Benefits

- Can be easily installed, transported and stored
- Use with the Temporary Fence Weight to provide weighted stability across fencing systems

FENCE FEET AND HEAVY BASES

- Reduce cost and installation
- Carry multiple OxStands at once for ease of installation
- Yellow hi-vis inserts can be branded, inquire about minimum quantity orders for customizations

Durable base with removable
fiberglass backbone that adds
strength

- ▶ Easy to repair, if warranted, risers can be replaced manually without tools
- More surface area for ballast weight to rest on, if more ballast is warranted
- Steel risers are open, allowing water to pass through
- Low profile and designed for panels with a 13/8" post

	OXSTAND®	
Product No.	O614	
Width	12"	
Length 36"		
Height 7"		
Weight	7lb	
Quantity / Pallet 150		
Color	Black & Yellow	



TEMPORARY FENCE WEIGHT

FENCING

The Temporary Fence
Weight is a high-visibility
ballast weight for
temporary fencing.
The alternative to
sandbags, which does
not decompose or leak
sand onto pavements
and work sites. The
Temporary Fence Weight
ballasts fence panels to
create a long lasting,
wind-resistant perimeter.

PRODUCT RANGE




TEMPORARY FENCE WEIGHT

- Create a wind resistant fence perimeter for construction sites and events
- Eliminate sand bags which decompose and create mess
- Carry multiple Temporary Fence Weights at once using the internal handles
- Create an anti-trip walkway using this low-profile and hi-vis ballast
- Stack and secure multiple Temporary Fence Weights on top of metal tube stands and OxStand to create a semi-permanent fence line

	FENCE WEIGHT
Product No.	0203
Width	24"
Length	19"
Height	3"
Weight 30lb	
Quantity / Pallet	72
Color Black & Yel	

- Reduce call outs due to fences falling over
- A closed loop recycling product: made of recycled PVC
- Easy to stack, store, and transport









OXBLOCK

This heavy base forms a stable base for metal and plastic temporary fencing. The OxBlock is an alternative to concrete blocks, made from a tough thermoplastic compound that is shock resistant.





OXBLOCK


Usage Benefits

- Can be easily stored and transported using the internal handles
- A versatile and durable component that can be used with a range of fencing
- Create enhanced stability of fencing systems to maintain demarcation and social distancing
- Reduce trip hazards with these low-profile, compact fence feet

Color

Product No. 0253 Width Length 31" Height Weight 53lb Quantity / Pallet 42

Black & Yellow



Can reinforce contractor, client or


Provide added visibility for workers, spectators or pedestrians with

project branding, as required

A closed loop recycling product: made of recycled PVC

hi-vis ends


Fully recyclable











Mats and Ground Brotection

Oxford Plastics have a range of ground protection solutions for temporary, semi-permanent and permanent uses.

We mould anti-slip surfaces into our products, providing a grippy surface that won't fade over time. Our mats and grids are made for both vehicle and pedestrian access. The range is designed to provide safe passageway for all traffic, particularly in wet and muddy situations.

Oxford Plastics have developed a suite of accessories to make your site safe and sound, including parking delineator inserts for the EnduraGrid, and heavy-duty connectors for the EnduraMat.










ENDURAMAT™

GROUND PROTECTION MAT

Heavy duty ground protection mat suitable for worksites, events and creating temporary access. Drive cars, trucks, forklifts, tractors and cranes up to 176,000 lbs, causing little to no disturbance to the ground underneath.

PRODUCT RANGE

MATS AND GROUND PROTECTION



ENDURAMAT™

Usage Benefits


- Clearly demarcate walkways and thoroughfares to avoid hazards
- Create stable ground conditions for heavy vehicles and machinery
- Clearly signpost to inform, educate and navigate pedestrians
- Create semi-permanent roadways using heavy-duty couplers
- Create clear passageways to help reinforce social distancing
- measures

 Create portable roadways using

light-duty couplers

 Inquire about minimum order quantities for customized branding and colors

- Made from recycled material and can be returned at end of life for recycling or reuse
- Prevents costly damage to landscapes and hardscapes
- Vehicle and pedestrian anti-skid surface
- Easier to maneuver with molded hand grips



	ENDURAMAT™		
	ENDURAMAT™	COUPLER HEAVY DUTY	COUPLER LIGHT DUTY
Product No.	0651	0648	0652
Width	48"	7"	5"
Length	96"	7"	4"
Height	0.5"	0.3"	0.1"
Weight	71lb	4.5lb	0.4lb
Quantity / Pallet	20	100	100
Color	Grey / Black	Silver	Silver


CLEARPATH° MAT

TEMPORARY WALKWAY

Create clearly marked passageways with this black and white pedestrian mat made of tough plastic for work sites, events and temporary zebra crossings.

PRODUCT RANGE





CLEARPATH® MAT

- Lightweight and durable solution for easy installation
- Can be easily installed, transported and stored
- Provide added stability on uneven ground
- Ability to reinforce social distancing measures
- Clearly cordon off areas to reduce the risk of pedestrians/ site staff entering restricted zones
- A closed loop recycling product: made of recycled PVC
- Fully recyclable

CLEARPATH® MAT	
0329	
47"	
24"	
1"	
44lb	
30	
Black/White/Yellow	







