



 **oxford**  
WE'VE GOT IT COVERED

**WORKSITE  
SAFETY  
PRODUCTS**

**USA - 2024**



# Contents

CONTENTS PAGE	3	WHEELCHAIR RAMPS	20-23
INTRODUCTION	4-5	▶ SUPAGRIP® RAMP	22
SUSTAINABILITY	6-7	▶ ACCESSIBILITY IN STREET WORKS	23
INNOVATIONS	8-9	BARRIERS AND FENCES	24-29
PRODUCT RANGE	10-39	▶ AVALON® BARRIER	26
TRENCH COVERS AND ROAD PLATES	10-19	▶ STRONGWALL®	27
▶ LOWPRO® TRENCH COVER GUIDE	12	▶ SAFEGATE®	28
▶ LOWPRO® 100 NARROW TRENCH COVER	13	FENCE FEET AND HEAVY BASES	30-35
▶ LOWPRO® 11/11 TRENCH COVER	14	▶ OXSTAND®	32
▶ LOWPRO® 12/8 TRENCH COVER SYSTEM	15	▶ TEMPORARY FENCE WEIGHT	33
▶ LOWPRO® 15/10 TRENCH COVER SYSTEM	16	▶ OXBLOCK	34-35
▶ LOWPRO® 15/05 ROAD PLATE MKI	17	MATS AND GROUND PROTECTION	36-38
▶ NEW LOWPRO® 15/05 ROAD PLATE	18	▶ ENDURAMAT™	38
▶ LOWPRO® 23/05 ROAD PLATE	19	CONTACT US	39



# Solving problems for safer working.



Since 1985, Oxford Plastics has been dedicated to helping industrial workers do their jobs safely and efficiently.

Our award-winning range of intelligent, compliant, problem solving products are creating safe working environments for people across a host of industries – including highways, utilities, events and streetworks; as well as the industrial, civil engineering and construction sectors.

We also collaborate closely with the Depts of Transportation and industry leaders around the world, such as JAG, HAUC, NJUG and REMA, ADA and respected professors of Engineering. This ensures safety standards and product integrity are not only met, but consistently exceeded.

**As the world changes, so do we. We're committed to creating even better solutions and delivering even better service, so our customers always know that whatever challenges they face, we've got it covered.**

## **Our Promise To Customers**

We have introduced a service level agreement for our customers. Quotes will be returned to you within 4 hours of contacting Oxford Plastics.

## **Increased Production Capacity**

We've also been working on shortening lead times and improving product availability, including our industry-leading LowPro Trench Cover and Road Plate range. Any enquiry, order, or question, we've got it covered.

## **Innovation**

Innovation is at the heart of Oxford Plastics. We constantly invest in innovation and development of the products we provide to you. Not only to improve existing products but also to introduce new products, like the new LowPro 15/05 Road Plate.

We are bringing our first road plate into the present day. With an updated design consistent with the LowPro 23/05, the integration of the EasiLift Handles and all while remaining compatible with the previous generation LowPro 15/05.

## What is a carbon footprint?


**Pretty much everything we do and buy produces CO<sub>2</sub>e.**

A carbon footprint is the total amount of greenhouse gases produced directly and indirectly by any activity. Greenhouse gases are converted into a carbon dioxide equivalent (CO<sub>2</sub>e), and are measured in tons (tCO<sub>2</sub>e) or pounds (lbsCO<sub>2</sub>e) of carbon dioxide equivalent.

## How can you reduce your carbon footprint?

By taking sustainable actions and working within the circular economy. 4 tangible steps all businesses should take to reduce emissions, repair equipment, pass on, sell or hire out items they don't need for reuse, and recycle materials at end of life.

## The circular economy




## Our commitment to sustainability

At Oxford Plastics, we believe in sustainable products. Since 2021, we have brought new carbon measurements into our business.



## Our credentials




# Introducing our latest innovations

As a leading innovator in the manufacture of site safety equipment, we're committed to the design, creation and supply of best-in-class products for an ever-changing world. This is why the Oxford Plastics product portfolio never stands still – we continuously listen to our customers and evolve, develop and innovate our offering, to ensure we're providing best-in-class, problem-solving solutions.




## LowPro Stillage

The LowPro Stillage holds 20 LowPro 15/10, 25 LowPro 12/8 & 45 LowPro 11/11 with space for Infill strips and Ramps on top. This heavy-duty metal stillage is stackable and comes with forklift pockets, making storage and transport of LowPros quick and easy.



## LowPro 15/10 ADA Ramps

LowPro 15/10 Ramp attachments are available in both long, short and corner sizes to create a smooth 1:12 gradient for vehicles and pedestrians when crossing the trench. The full LowPro 15/10 System is available including ADA Ramps and Infill strips to connect boards and prevent drifting, in public facing spaces like airports and travel hubs, sidewalks, street works and in facilities management.





# Trench Covers and Road Plates

Oxford Plastics has spent over 20 years refining the material composition, technology and manufacturing processes of our flagship LowPro Trench Covers and Road Plates range. Today, we offer the most comprehensive range of composite covers in the world, which can be used in a variety of scenarios from walkways to roadways in street works and on construction sites.

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy. Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs.

**GUARANTEED**  
MAXIMUM LOAD WEIGHT UP TO  
**97,000**  
**LBS**  
OVER 48" TRENCH

**OR**  
1 OR 2 PERSON INSTALLATION



ROAD PLATE PATENTED  
DROP-PIN SECURITY

TESTED TO ENSURE A  
**2:1**  
SAFETY FACTOR



RAMPED LOWPRO EDGES  
FOR SAFE ACCESS

**HS20-44**

# LOWPRO® TRENCH COVER GUIDE

COMPOSITE TRENCH COVERS CAN BE INSTALLED IN THE FOLLOWING SCENARIOS.

- ▶ A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.














▶ In some instances, road plates and trench covers must be bolted for safety, refer to the installation guide for more details.

▶ Trench covers have a maximum width allowance.
- ▶ Trench covers can be linked together to safely cover any length of excavation.

▶ The LowPro range is HAUC Compliant.

▶ LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.

▶ Trench covers must be installed centrally over the trench.

MAXIMUM TRENCH WIDTH	WHAT TYPE OF TRAFFIC WILL CROSS THE TRENCH?		
	FOOTWAY 400KG / 880LBS	DRIVEWAY 3.5T / 7715LBS VEHICLE	ROADWAY 44T / 97000LBS VEHICLE
100MM 4"	<div> LowPro 100</div>	<div> LowPro 100</div>	<div> LowPro 15/05</div>
700MM 2FT	<div><div> LowPro 12/8</div><div> LowPro 11/11</div></div>	<div> LowPro 15/10</div>	<div> LowPro 15/05</div>
900MM 3FT	<div> LowPro 15/10</div>	<div> LowPro 15/10</div>	<div> LowPro 23/05</div>
1200MM 4FT	<div> LowPro 15/10</div>	<div> LowPro 23/05</div>	<div> LowPro 23/05</div>

## LOWPRO® 100 NARROW TRENCH COVER

### TRENCH COVER

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fiber optic cable installations. It is suitable for 3" - 3.9" wide trenches. The recycled plastic material grips the asphalt to minimize movement and provide a stable surface for pedestrians and vehicles. Available in 1m sections, the LowPro 100 is supplied with fixings to anchor pieces together.



### PRODUCT RANGE



### LOWPRO® 100 NARROW TRENCH COVER

#### Usage Benefits

- ▶ Designed for fiber optic cable installations & maintenance

▶ Suitable for Narrow-Trenching: 3" - 3.9" excavations

▶ Low profile, sits flat against the ground

▶ Bends 30 degrees

▶ Suitable for pedestrian traffic and vehicles

▶ 42" sections can securely anchor together
- ▶ Made using recycled plastic and is recyclable


▶ Highly slip-resistant in wet & dry conditions

▶ Hivis inserts for safety day and night

▶ Use the LowPro 11/11 over T-Junctions

▶ Comes with nyloc fixings

	LOWPRO® 100 NARROW TRENCH COVER
	0.8" DEPTH
Product No.	O762
Product Code	5542
Width	10"
Length	42"
Height	1"
Weight	71b
Quantity / Pallet	100
Color	Black & Yellow



# LOWPRO® 11/11 TRENCH COVER

## TRENCH COVER

Pedestrian board with patented LowPro Edge technology, suitable for the distributed load of a 3528lb vehicle over a 28" trench.

## PRODUCT RANGE




## LOWPRO® 11/11 TRENCH COVER

### Usage Benefits

- Extremely compact and flat making it easy to transport & store
- Can be easily lifted and installed by 1 person
- Safely cover holes and trenches up to 28"
- Create temporary and semi-permanent pathways and trench cover
- Not for use in roadway
- Inquire about minimum order quantities for customizations
- Hi-vis and anti-trip trench cover provides safe passageway for pedestrians and vehicles up to 3,528 lb
- Trench covers must be installed centrally over the trench
- Reduce CO<sub>2</sub> emissions with lighter transport compared to steel plates
- Eliminate need for cold patch with the patented LowPro Edge, which provides smooth transition

	LOWPRO® 11/11 TRENCH COVER
Product No.	O825
Product code	3147
Width	44"
Length	44"
Height	1"
Weight	53lb
Quantity / Pallet	30
Color	Yellow & Black



# LOWPRO® 12/8 TRENCH COVER SYSTEM

## TRENCH COVER SYSTEM

The LowPro 12/8 Trench Cover is a versatile trench cover that is suitable for pedestrians and 3528lb vehicles over a 28" trench.


## PRODUCT RANGE



## LOWPRO® 12/8 TRENCH COVER

### Usage Benefits

- Can be easily lifted and installed by 1 person
- Safely cover holes and trenches up to 28"
- Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and vehicles
- Not for use in roadway
- Prevent drifting and eliminate the need for cold patch using our patented LowPro Edge technology and Infill connectors strips
- To support pedestrians and vehicles up to 3528lb
- Can be utilized individually or as part of a continuous run of multiple units connected with infill strips
- Patented LowPro Edges are moulded around the whole board, creating a durable protective barrier for the trench cover
- Inquire about minimum order quantities for customizations
- Trench covers must be installed centrally over the trench
- Reduce CO<sub>2</sub> emissions with lighter transport compared to steel plates
- Infill connectors allow for smooth transition from cover to cover



	LOWPRO® 12/8		
	TRENCH COVER	INFILL SHORT	INFILL LONG
Product No.	0362	0383	0364
Product code	4356	5318	5008
Width	31"	6"	6"
Length	47"	31"	47"
Height	1"	1"	1"
Weight	37lb	3lb	4lb
Quantity / Pallet	30	5/100	5/100
Color	Yellow & Black	Black	Black



Cover  
278lbs



Infil Short  
9lbs



Infil Long  
13lbs



126lbs

## LOWPRO® 15/10 TRENCH COVER SYSTEM

### TRENCH COVER SYSTEM

The LowPro 15/10 Trench Cover uses our patented LowPro Edge technology and is a suitable driveway for 7,716lb vehicles over a 3ft wide trench.



### PRODUCT RANGE



### LOWPRO® 15/10 TRENCH COVER

#### Usage Benefits

- ▶ Can be easily installed, transported and stored by 2 people
- ▶ Safely cover holes and trenches up to 3ft wide
- ▶ Patented LowPro Edges are moulded around the whole board, creating a durable protective barrier for the trench cover
- ▶ Prevent drifting and eliminate the need for cold patch using our patented LowPro Edge technology and Infill connectors strips
- ▶ To support vehicles up to 7716lb
- ▶ Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and vehicles
- ▶ Enable access for residents to their homes
- ▶ Inquire about minimum order quantities for customizations
- ▶ Trench covers must be installed centrally over the trench

	LOWPRO® 15/10		
	TRENCH COVER	INFILL SHORT	INFILL LONG
Product No.	0815	0375	0840
Product code	4132	5006	4998
Width	39"	6"	6"
Length	59"	39"	59"
Height	1"	1"	1"
Weight	84lb	4lb	5lb
Quantity / Pallet	20	5/100	5/100
Colour	Yellow & Black	Black	Black


	LONG RAMP	SHORT RAMP	CORNER RAMP	STILLAGE
Product No.	0774	0798	0775	0746
Product code	5465	5309	5466	5513
Width	25"	25"	23"	47"
Length	59"	39"	23"	47"
Height	2"	2"	2"	59"
Weight	20lb	19lb	5lb	132lb
Quantity / Pallet	50	50	100	1
Colour	Blue	Blue	Blue	Silver

## LOWPRO® 15/05 ROAD PLATE MKI

### TRENCH COVER

The LowPro 15/05 Road Plate MKI is a modular system of singular linking units. HS20-44 rated, this road plate is suitable for 97,000lb vehicles over a 18" wide trench.



### PRODUCT RANGE



### LOWPRO® 15/05 ROAD PLATE MKI

#### Usage Benefits

- ▶ Can be easily transported and stored
- ▶ Lifted and installed by 2 persons without a crane or heavy-lifting equipment
- ▶ Safely cover holes and trenches up to 28" to support vehicles up to 97,000lbs
- ▶ Create temporary and semi permanent road covers to clearly define thoroughfares to safely direct road traffic and vehicles
- ▶ Molded hi-vis anti-skid surface and chamfered LowPro Edge reduces slips and falls, providing safety in roadways and at crosswalks
- ▶ Inner sections have gravity fed steel drop pins on the underside to prevent lateral movement
- ▶ Maintain quality and performance with spare parts, if necessary
- ▶ Heavy duty interlocking steel connectors lock together to cover any length of trench
- ▶ Trench covers must be installed centrally over the trench, Inner and end sections can be anchored
- ▶ Reduce CO<sub>2</sub> emissions with lighter transport compared to steel plates
- ▶ Patented rubber LowPro Edge deafens noise and eliminates need for cold patch
- ▶ Adhere to local DOT legislation, as this may effect the max. trench width requirements



	LOWPRO® 15/05 ROAD PLATE MKI	
	INNER	END
Product No.	0830	0814
Product code	3246	2385
Width	20"	20"
Length	59"	59"
Height	3"	3"
Weight	93lb	51lb
Quantity / Pallet	20	20
Color	Yellow & Black	Yellow



# NEW LOWPRO® 15/05 ROAD PLATE

## TRENCH COVER

The new LowPro 15/05 Road Plate is a modular system of singular linking units. This road plate trench cover is suitable for 97,000lbs vehicles over a 28" trench.


## PRODUCT RANGE



## NEW LOWPRO® 15/05 ROAD PLATE

### Usage Benefits

- Compatible with LowPro 15/05 MKI
- Safely cover holes and trenches up to 28" wide
- To support vehicles up to 97,000lbs
- Can be easily transported and stored by 2 people using EasiLift Handles or handhold points
- Flat top for stable stacking
- Create temporary and semi-permanent road covers
- Clearly defined thoroughfares to safely direct road traffic and vehicles
- Maintain quality and performance with spare parts, if necessary
- Trench covers must be installed centrally over the trench
- Reduce CO<sub>2</sub> emissions with lighter transport vehicles compared to steel plates



	NEW LOWPRO 15/05 ROAD PLATE		
	INNER	END	EASILIFT HANDLES
Product No.	0900	0903	0730
Product code	5792	5790	4725
Width	20"	20"	18"
Length	59"	59"	36"
Height	3"	3"	8"
Weight	88lbs	22lbs	7lb
Quantity / Pallet	20	20	20
Colour	Yellow & Black	Blue	Yellow

## NEW FOR SPRING, 2024



Inner  
234lbs



End  
148lbs



Handle  
44lbs



REPAIRABLE

# LOWPRO® 23/05 ROAD PLATE

## TRENCH COVER

The LowPro 23/05 Road Plate is a modular system of singular linking units, this road plate trench cover is suitable for 97,000lbs vehicle over a 48" trench.


## PRODUCT RANGE



## LOWPRO® 23/05 ROAD PLATE

### Usage Benefits

- Can be easily transported and stored in the stillage
- Can be easily lifted and installed by 2 persons using EasiLift Handles, without a crane or heavy lifting equipment
- Safely cover holes and trenches up to 48" wide
- Create temporary and semi-permanent road covers
- Clearly defined thoroughfares to safely direct road traffic and vehicles
- To support vehicles up to 97,000lbs
- Maintain quality and performance with spare parts, if necessary
- To be configured as part of a larger system, use multiple road plate inners to cover any length of trench
- Trench covers must be installed centrally over the trench
- 79% reduction in CO<sub>2</sub>e compared to steel plates



REPAIRABLE



Inner  
234lbs



End  
148lbs



Stillage  
1,334lbs



Handle  
44lbs

	LOWPRO® 23/05 ROAD PLATE			EASILIFT HANDLES
	INNER	END	STILLAGE	
Product No.	0839	0726	0731	0730
Product code	4909	4969	4902	4725
Width	20"	28"	64"	18"
Length	91"	91"	70"	36"
Height	3"	3"	36"	8"
Weight	143lb	60lb	419lb	7lb
Weight when filled			5,007lb	
Quantity / Pallet	16	10	1	20
Color	Yellow & Blue	Blue	Silver	Yellow



# Wheelchair Ramps



Designed for street works where pedestrians are diverted from the walkway into the roadway. Tested with UK disability groups using mobility scooters or wheelchairs and the partially sighted.

Highly slip resistant in wet and dry conditions, our Wheelchair Ramps are moulded with a durable anti-slip surface.

The SupaGrip Ramp uses our patented LowPro anti-slide technology, which grips the pavement for added stability.

SLIP RESISTANT  
IN WET & DRY



1 PERSON INSTALLATION

HIGH VISIBILITY



**1:5**  
GRADIENT  
AT 2.3" CURB

# SUPAGRIP® RAMP

## WHEELCHAIR RAMP

The SupaGrip Ramp is an anti-slide wheelchair ramp and pedestrian curb ramp, designed for temporary roadworks access.

### PRODUCT RANGE





### SUPAGRIP® RAMP

#### Usage Benefits

- ▶ LowPro edges sit securely on the pavement without the need for anchoring
- ▶ Can be easily transported and stored
- ▶ Can be easily lifted and installed by 1 person
- ▶ Can be safely used on curbs between 2.3" and 6.3"
- ▶ Create temporary and semi-permanent curb ramps
- ▶ Spare parts available, if necessary, to maintain the life of your wheelchair ramp
- ▶ Clearly defined thoroughfares to safely direct pedestrian traffic and mobility vehicles
- ▶ To support mobility vehicles and foot traffic up to 771lb
- ▶ Fully recyclable
- ▶ Hi-vis anti-skid surface and raised sides

	SUPAGRIP RAMP
Product No.	O836
Product code	4175
Width	50"
Length	30"
Height	4"
Weight	22lb
Quantity / Pallet	30
Color	Yellow & Black



# ADA ACCESSIBILITY IN STREET WORKS

Street works are a necessary part of maintaining road infrastructure, pedestrian safety and the modernization of our environment. However, this often poses its challenges to pedestrian accessibility – especially for those with a disability that affects their mobility.



That's why, here at Oxford Plastics, not only do we provide the relevant equipment to ensure that pedestrian safety is maintained at all times during street works, but also the capability to cater for everyone – providing an all-inclusive way of working. We comply with ADA Standards – meaning that our street works products are applicable to those who have a disability, and can be used and installed in a way that caters specifically to those who have

reduced mobility. This isn't always just wheelchair users, either – it could refer to the elderly, parents with strollers and pedestrians who need to use a stick or a guide-dog.

It's also important to consider the hidden disabilities that people may be facing – such as autism, dementia or learning disabilities. Although this may not directly hinder people's mobility, the impact of street works accessibility

may be confusing for people – which again, shows why it's so important that the correct safety measures are implemented.

This is why Oxford Plastics works with leading US utility providers, street works contractors and disability groups to design products that make a difference.

## ADA ACCESSIBILITY PRODUCTS FROM OXFORD PLASTICS



### ADA STRONGWALL & STRONGFENCE

The anti-trip street works barrier and fence, maximizes the space for pedestrians on diverted walkways



### LOWPRO TRENCH COVER INFILLS & RAMPS

The only trench cover system with a smooth 1:12 gradient, designed for wheelchair users and cyclists to easily navigate street works



# Barriers and Fencing



Oxford Plastics manufacture a wide range of barrier and fencing solutions for street works, construction sites and facilities management.

Our street works barrier range is used by businesses around the world to provide safe spaces for the workforce and the public. This includes 3 ft high pedestrian barriers, and 6 ft high fences for deep excavations and site protection. Featuring patented anti-tamper locking systems, pedestrian barriers are lightweight and are designed to be carried and installed by 1 person. Complete with high-quality British Standard reflective.

We also manufacture ballasting solutions made from recycled PVC, which replace unreliable sandbags.

HIGH WIND



RESISTANCE

REPAIRABLE



BRITISH  
STANDARD



REFLECTIVE

CUSTOMIZABLE



## AVALON® BARRIER

### PEDESTRIAN BARRIER

The Avalon is our most versatile and popular safety barrier, suitable for a wide range of indoor and outdoor pedestrian applications. Common uses include construction, excavation, street works, events and utility sites.

### PRODUCT RANGE




### AVALON® BARRIER

#### Usage Benefits

- ▶ Adaptable to the work site's requirements with 2 feet options: ClearPath Extra which is 100% antitrip or standard.
- ▶ Can be easily transported and stored
- ▶ Clearly defined access in high traffic area
- ▶ Ensure physical distance measures
- ▶ Patented tamper-proof locking system to protect site staff and pedestrians against risk factors
- ▶ Keep a secure semi-permanent perimeter with our ballasting options
- ▶ Maintain quality and performance with spare parts, if necessary
- ▶ Inquire about minimum order quantities for customizations
- ▶ Able to be returned to Oxford Plastics to be fully recycled

	AVALON BARRIER
	6FT
Product No.	O635
Product code	3802
Width	2"
Length	79"
Height	39"
Weight	24lb
Quantity / Pallet	50
Color	Orange



ClearPath  
Extra Foot



## STRONGWALL®

### PEDESTRIAN BARRIER & FENCING

A robust plastic, non-conductive safety barrier with typical applications at events and on construction sites to ensure maximum safety to both members of the public and site workers.

### PRODUCT RANGE



### STRONGWALL

#### Usage Benefits

- ▶ Create a highly stable barrier or fenced perimeter to combat high volumes of traffic even in hot weather conditions, with no additional ballast
- ▶ A heavy duty, durable component used for easy and effective installation
- ▶ Breaks down into three components for compact storage and transport
- ▶ Keep worksites secure with 6ft tall anti-climb fencing
- ▶ Inquire about minimum order quantities for customizations
- ▶ Be confident that your fence line will stay in tact with connections which are moulded to the barrier
- ▶ Non-conductive plastic to keep your worksite and the public safe around live sites
- ▶ A closed loop recycling product: made using recycled PVC
- ▶ Able to be returned to Oxford Plastics to be fully recycled
- ▶ ADA compliant base available



	STRONGWALL	STRONGFENCE
Product No.	O193 (Base), O629 (Top)	O687
Product code	5306 (Base) & 3043 (Top)	4697
Width	22"	22"
Length	40"	40"
Height	39"	81"
Weight	49lb	56lb
Quantity / Pallet	18	18
Color	Black & Orange	Black, Orange & Silver



SAFEGATE®

MANHOLE BARRIER

The SafeGate barrier is designed for use around temporary excavations and commonly used in the communications industry.



PRODUCT RANGE



SAFEGATE


Usage Benefits

- ▶ Portable solution making it easier to carry & deploy
- ▶ Lightweight, which keeps overall vehicle weight low, and allows for easy installation
- ▶ Keep sites protected in high wind conditions by using the SafeBase
- ▶ Clearly cordon off areas to reduce the danger of pedestrians/site staff entering restricted zones
- ▶ Ability to reinforce social distancing measures
- ▶ Can be configured in a square or in a line with the SafeBase and patented locking system
- ▶ Able to be returned to Oxford Plastics to be fully recycled



	SAFEGATE		SAFEBASE
	3 WAY BARRIER	4 WAY BARRIER	
Product No.	O9737	O9738	O204
Product code	5069	3609	4627
Width	2"	3"	13"
Length	89"	118"	13"
Height	39"	39"	3"
Weight	13lb	18lb	6lb
Quantity / Pallet	25	20	150
Color	Red/Yellow	Red/Yellow	Black





# Fence Feet and Heavy Bases

Our fence feet and heavy bases are first and foremost effective, durable and safe for use on construction sites and at high profile sporting and entertainment events.

Their high-visibility ends are patent protected to keep your work site safe by reducing the risk of trips and falls.

Oxford Plastics is one of the biggest users of recycled PVC in the world and in 2019 we used 16% of all the recycled PVC in the UK.

We go to great lengths to use recycled materials in our products – none more so than with our fence feet and heavy bases – and at the end of their life most of these can be re-ground into new products.

**DURABLE RECYCLED  
MATERIAL**



**HIGH VISIBILITY**



**PATENT PROTECTED**



**CUSTOMIZABLE**



OXSTAND®

FENCING

The OxStand is an alternative to the metal tube stand, commonly used with temporary metal fencing at events and on construction sites. Easy to stack, store, and transport, reducing costs. Carry multiple OxStand with handholds.

PRODUCT RANGE




OXSTAND

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Use with the Temporary Fence Weight to provide weighted stability across fencing systems
- ▶ Reduce cost and installation labor time
- ▶ Carry multiple OxStands at once for ease of installation
- ▶ Yellow hi-vis inserts can be branded, inquire about minimum quantity orders for customizations
- ▶ Durable base with removable fiberglass backbone that adds strength
- ▶ Easy to repair, if warranted, risers can be replaced manually without tools
- ▶ More surface area for ballast weight to rest on, if more ballast is warranted
- ▶ Steel risers are open, allowing water to pass through
- ▶ Low profile and designed for panels with a 1 3/8" post

	OXSTAND®
Product No.	O614
Product code	4470
Width	12"
Length	36"
Height	7"
Weight	71lb
Quantity / Pallet	150
Color	Black & Yellow



Repairable

TEMPORARY FENCE WEIGHT

FENCING

The Temporary Fence Weight is a high-visibility ballast weight for temporary fencing. The alternative to sandbags, which does not decompose or leak sand onto pavements and work sites. The Temporary Fence Weight ballasts fence panels to create a long lasting, wind-resistant perimeter.

PRODUCT RANGE




TEMPORARY FENCE WEIGHT

Usage Benefits

- ▶ Create a wind resistant fence perimeter for construction sites and events
- ▶ Eliminate sand bags which decompose and create mess
- ▶ Carry multiple Temporary Fence Weights at once using the internal handles
- ▶ Create an anti-trip walkway using this low-profile and hi-vis ballast
- ▶ Stack and secure multiple Temporary Fence Weightson top of metal tube stands and OxStand to create a semi-permanent fence line
- ▶ Generate more revenue than single use sandbags
- ▶ A closed loop recycling product: made of recycled PVC
- ▶ Easy to stack, store, and transport

	FENCE WEIGHT
Product No.	O203
Product code	4565
Width	24"
Length	19"
Height	3"
Weight	30lb
Quantity / Pallet	72
Color	Black & Yellow



108lbs

# OXBLOCK

## FENCING

This heavy base forms a stable base for metal and plastic temporary fencing. The OxBlock is an alternative to concrete blocks, made from a tough thermoplastic compound that is shock resistant.

## PRODUCT RANGE




## OXBLOCK

### Usage Benefits

- ▶ Can be easily stored and transported using the internal handles
- ▶ A versatile and durable component that can be used with a range of fencing
- ▶ Create enhanced stability of fencing systems to maintain demarcation and social distancing
- ▶ Reduce trip hazards with these low-profile, compact fence feet
- ▶ Can reinforce contractor, client or project branding, as required
- ▶ Provide added visibility for workers, spectators or pedestrians with hi-vis ends
- ▶ A closed loop recycling product: made of recycled PVC
- ▶ Fully recyclable

	OXBLOCK FENCEFOOT
	24KG HIVIZ
Product No.	O253
Product code	5258
Width	8"
Length	31"
Height	6"
Weight	53lb
Quantity / Pallet	42
Color	Black & Yellow



Repairable





# Mats and Ground Protection

Oxford Plastics have a range of ground protection solutions for temporary, semi-permanent and permanent uses.

We mould anti-slip surfaces into our products, providing a grippy surface that won't fade over time. Our mats and grids are made for both vehicle and pedestrian access. The range is designed to provide safe passageway for all traffic, particularly in wet and muddy situations.

Oxford Plastics have developed a suite of accessories to make your site safe and sound, including parking delineator inserts for the EnduraGrid, and heavy-duty connectors for the EnduraMat.



1 OR 2 PERSON INSTALLATION

CUSTOMIZABLE



SLIP RESISTANT  
IN WET



SLIP RESISTANT  
IN DRY




## ENDURAMAT™

### GROUND PROTECTION MAT

Heavy duty ground protection mat suitable for worksites, events and creating temporary access. Drive cars, trucks, forklifts, tractors and cranes up to 176,000 lbs, causing little to no disturbance to the ground underneath.


### PRODUCT RANGE



### ENDURAMAT™

#### Usage Benefits

- ▶ Clearly demarcate walkways and thoroughfares to avoid hazards
- ▶ Create stable ground conditions for heavy vehicles and machinery
- ▶ Clearly signpost to inform, educate and navigate pedestrians
- ▶ Create semi-permanent roadways using heavy-duty couplers
- ▶ Create clear passageways to help reinforce social distancing measures
- ▶ Create portable roadways using light-duty couplers
- ▶ Inquire about minimum order quantities for customized branding and colors
- ▶ Made from recycled material and can be returned at end of life for recycling or reuse
- ▶ Prevents costly damage to landscapes and hardscapes
- ▶ Vehicle and pedestrian anti-skid surface
- ▶ Easier to maneuver with molded hand grips



	ENDURAMAT™		
	ENDURAMAT™	COUPLER HEAVY DUTY	COUPLER LIGHT DUTY
Product No.	0651	0648	0652
Products code	3572	3734	3111
Width	48"	7"	5"
Length	96"	7"	4"
Height	0.5"	0.3"	0.1"
Weight	71lb	4.5lb	0.4lb
Quantity / Pallet	20	100	100
Color	Grey / Black	Silver	Silver



161lbs

## Contact us

### OXFORD PLASTIC SYSTEMS LLC

1011 Centre Rd, Suite 312,  
Wilmington, DE 19805  
USA

#### FIND YOUR NEAREST SUPPLIER TODAY:

Call Us: 1-800-567-9182

Email Us: [info@oxfordplasticsusa.com](mailto:info@oxfordplasticsusa.com)

Find us online: [www.oxfordplastics.com](http://www.oxfordplastics.com)